

Refine Search

Search Results -

Terms	Documents
antenna\$1 and calibrat\$4	7

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Wednesday, November 30, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=TDBD; PLUR=YES; OP=OR

L11 antenna\$1 and calibrat\$4

7 L11

DB=USOC; PLUR=YES; OP=OR

L10 19 and (timer\$1 or timing)

55 L10

L9 16 and branch\$2

255 L9

L8 17 and branch\$2

0 L8

L7 16 and (base adj signal\$1)

17 L7

L6 antenna\$1 and calibrat\$4

2525 L6

DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=OR

L5 14 and (timer\$1 or timing)

21 L5

L4 11 and branch\$2

112 L4

L3 12 and branch\$2

3 L3

L2 11 and (base adj signal\$1)

13 L2

L1 antenna\$1.ti,ab. and calibrat\$4.ti,ab.

1659 L1

END OF SEARCH HISTORY

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields AND in All Fields AND in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference P
- ☒ IEEE Standards

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content u
- ☒ From year to

» Display Format

- ☒ Citation ☐ Citatio

» Organize results

Maximum results
Display results
Sort by
In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by
 Inspec



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((calibration and antenna and base)<in>metadata)"

[e-mail](#)Your search matched **255** of **1263585** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((calibration and antenna and base)<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: 1-25 | [26-5](#)

- ☐ 1. **Antenna arrangements for broadband antenna calibration using the Stan-Method**
Sugiura, A.; Yamanaka, Y.; Iwasaki, T.; Matsumoto, Y.;
Electromagnetic Compatibility, 2001. EMC. 2001 IEEE International Symposium
Volume 2, 13-17 Aug. 2001 Page(s):974 - 979 vol.2
Digital Object Identifier 10.1109/ISEMC.2001.950525
[AbstractPlus](#) | Full Text: [PDF](#)(464 KB) IEEE CNF
- ☐ 2. **Angle selection and dummy internal spacing methods for phased array a calibration based on traveling wave technology**
Zou Yongqing; Cao Jun; Guo Ling;
Radar Conference, 2005 IEEE International
9-12 May 2005 Page(s):660 - 662
Digital Object Identifier 10.1109/RADAR.2005.1435909
[AbstractPlus](#) | Full Text: [PDF](#)(240 KB) IEEE CNF
- ☐ 3. **Multi-element PAA calibration with REV method**
Shitikov, A.M.; Bondarik, A.V.;
Antenna Theory and Techniques, 2003. IVth International Conference on
Volume 2, 9-12 Sept. 2003 Page(s):761 - 764 vol.2
Digital Object Identifier 10.1109/ICATT.2003.1238859
[AbstractPlus](#) | Full Text: [PDF](#)(346 KB) IEEE CNF
- ☐ 4. **An active antenna demonstrator for future AESA-systems**
Drackner, P.N.; Engstrom, B.;
Radar Conference, 2005 IEEE International
9-12 May 2005 Page(s):226 - 231
Digital Object Identifier 10.1109/RADAR.2005.1435824
[AbstractPlus](#) | Full Text: [PDF](#)(699 KB) IEEE CNF
- ☐ 5. **Calibration of smart antennas in a GSM network**
Pensel, K.; Aroudaki, H.; Nossek, J.A.;
Signal Processing Advances in Wireless Communications, 1999. SPAWC '99.
Workshop on
9-12 May 1999 Page(s):354 - 357
Digital Object Identifier 10.1109/SPAWC.1999.783091
[AbstractPlus](#) | Full Text: [PDF](#)(300 KB) IEEE CNF

- ☐ 6. **A microwave performance calibration system for NASA's Deep Space Ne**
1. Assessment of antenna gain and pointing, and calibration of radio sou
Richter, P.H.; Rochblatt, D.J.;
Antennas and Propagation, Tenth International Conference on (Conf. Publ. No
Volume 1, 14-17 April 1997 Page(s):142 - 149 vol.1
[AbstractPlus](#) | Full Text: [PDF\(772 KB\)](#) IEEE CNF

- ☐ 7. **Experiments on adaptive antenna array diversity transceiver for base sta**
in W-CDMA mobile radio
Sawahashi, M.; Tanaka, S.;
Antennas and Propagation Society International Symposium, 2000. IEEE
Volume 2, 16-21 July 2000 Page(s):578 - 582 vol.2
Digital Object Identifier 10.1109/APS.2000.875220
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE CNF

- ☐ 8. **Comparison of on-line RF circuitry calibration methods for adaptive ante**
forming transmitter in forward link
Taoka, H.; Kataoka, T.; Higuchi, K.; Ihara, T.; Sawahashi, M.;
Vehicular Technology Conference, 2003. VTC 2003-Spring. The 57th IEEE Se
Volume 2, 22-25 April 2003 Page(s):1132 - 1137 vol.2
Digital Object Identifier 10.1109/VETECS.2003.1207804
[AbstractPlus](#) | Full Text: [PDF\(567 KB\)](#) IEEE CNF

- ☐ 9. **Auto calibrated distributed local loop configuration of array antenna for C**
base station
Takeuchi, Y.; Hirayama, H.; Fukino, K.; Murayama, T.; Notsu, Y.; Hayashi, A.;
Spread Spectrum Techniques and Applications, 2000 IEEE Sixth International
Volume 2, 6-8 Sept. 2000 Page(s):666 - 670 vol.2
Digital Object Identifier 10.1109/ISSSTA.2000.876517
[AbstractPlus](#) | Full Text: [PDF\(444 KB\)](#) IEEE CNF

- ☐ 10. **Full synchronized distributed array antenna for CDMA base stations**
Hirayama, H.; Hada, T.; Fukino, K.; Takeuchi, Y.;
Radio and Wireless Conference, 2003. RAWCON '03. Proceedings
10-13 Aug. 2003 Page(s):131 - 134
Digital Object Identifier 10.1109/RAWCON.2003.1227910
[AbstractPlus](#) | Full Text: [PDF\(357 KB\)](#) IEEE CNF

- ☐ 11. **Precise phase calibration of a controlled reception pattern GPS antenna**
Ung Suok Kim; De Lorenzo, D.S.; Akos, D.; Gautier, J.; Enge, P.; Orr, J.;
Position Location and Navigation Symposium, 2004. PLANS 2004
26-29 April 2004 Page(s):478 - 485
[AbstractPlus](#) | Full Text: [PDF\(619 KB\)](#) IEEE CNF

- ☐ 12. **A simple based on DSP antenna controller of weather radar**
XianQin Wang; She Yong; JinWei He; BeiChuan Zhu;
Radar, 2001 CIE International Conference on, Proceedings
15-18 Oct. 2001 Page(s):1071 - 1074
Digital Object Identifier 10.1109/ICR.2001.984896
[AbstractPlus](#) | Full Text: [PDF\(337 KB\)](#) IEEE CNF

- ☐ 13. **On-orbit calibration of the Seawinds scatterometer antennas**
Zec, J.; Jones, W.L.;
Antennas and Propagation Society International Symposium, 1999. IEEE
Volume 2, 11-16 July 1999 Page(s):1036 - 1039 vol.2
Digital Object Identifier 10.1109/APS.1999.789489
[AbstractPlus](#) | Full Text: [PDF\(140 KB\)](#) IEEE CNF

- ☐ **14. Calibration architectures for use in UTRA adaptive antenna basestations**
Morris, K.A.; Simmonds, C.M.; Beach, M.A.;
Vehicular Technology Conference, 1999. VTC 1999 - Fall. IEEE VTS 50th
Volume 3, 19-22 Sept. 1999 Page(s):1934 - 1938 vol.3
Digital Object Identifier 10.1109/VETECF.1999.801734
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF

- ☐ **15. Fast techniques for sensor array calibration**
McCarthy, F.; Ridgway, R.; Paulraj, A.;
Signals, Systems and Computers, 1994. 1994 Conference Record of the Twer
Asilomar Conference on
Volume 1, 31 Oct.-2 Nov. 1994 Page(s):688 - 693 vol.1
Digital Object Identifier 10.1109/ACSSC.1994.471540
[AbstractPlus](#) | Full Text: [PDF](#)(460 KB) IEEE CNF

- ☐ **16. RF performance and effect of calibration in smart antenna system**
Dong Han Lee; Cheol Sig Pyo;
Vehicular Technology Conference, 2004. VTC 2004-Spring. 2004 IEEE 59th
Volume 1, 17-19 May 2004 Page(s):30 - 33 Vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(604 KB) IEEE CNF

- ☐ **17. A new calibration algorithm for cellular CDMA antenna arrays**
Mikyung Suk; Sangwoo Cho; Kyungchun Lee; Joohwan Chun;
Vehicular Technology Conference, 2002. Proceedings. VTC 2002-Fall. 2002 IEEE
Volume 1, 24-28 Sept. 2002 Page(s):266 - 269 vol.1
Digital Object Identifier 10.1109/VETECF.2002.1040346
[AbstractPlus](#) | Full Text: [PDF](#)(636 KB) IEEE CNF


- ☐ **18. Space based lens vs. corporate antenna distortion comparison**
Davis, D.; Moellers, J.A.;
Antennas and Propagation Society International Symposium, 2001. IEEE
Volume 3, 8-13 July 2001 Page(s):696 - 699 vol.3
Digital Object Identifier 10.1109/APS.2001.960191
[AbstractPlus](#) | Full Text: [PDF](#)(168 KB) IEEE CNF

- ☐ **19. Downlink calibration requirements for the TSUNAMI (II) adaptive antenna**
Simmonds, C.M.; Beach, M.A.;
Personal, Indoor and Mobile Radio Communications, 1998. The Ninth IEEE In-
Symposium on
Volume 3, 8-11 Sept. 1998 Page(s):1260 - 1264 vol.3
Digital Object Identifier 10.1109/PIMRC.1998.731389
[AbstractPlus](#) | Full Text: [PDF](#)(464 KB) IEEE CNF

- ☐ **20. Effects of spacecraft attitude on the NASA Scatterometer antenna calibration**
Zec, J.; Linwood Jones, W.;
Geoscience and Remote Sensing Symposium Proceedings, 1998. IGARSS '98
International
Volume 4, 6-10 July 1998 Page(s):1998 - 2000 vol.4
Digital Object Identifier 10.1109/IGARSS.1998.703720
[AbstractPlus](#) | Full Text: [PDF](#)(324 KB) IEEE CNF

- ☐ **21. Single reference, three target calibration and error correction for monostatic free space measurements**
Wiesbeck, W.; Kahny, D.;
Proceedings of the IEEE
Volume 79, Issue 10, Oct. 1991 Page(s):1551 - 1558
Digital Object Identifier 10.1109/5.104229
[AbstractPlus](#) | Full Text: [PDF](#)(652 KB) IEEE JNL

- ☐ **22. Investigation of front-end requirements for MIMO-systems using downlin**
Bruhl, L.; Degen, C.; Keusgen, W.; Rembold, B.; Walke, C.M.;
Personal Mobile Communications Conference, 2003. 5th European (Conf. Put
22-25 April 2003 Page(s):472 - 476
[AbstractPlus](#) | Full Text: [PDF\(411 KB\)](#) IEE CNF
- ☐ **23. Tracking antenna architectures based on a planar two-port microstrip pa
antenna**
Gupta, S.; Fusco, V.F.;
Antennas and Propagation, IEEE Transactions on
Volume 45, Issue 12, Dec. 1997 Page(s):1863 - 1868
Digital Object Identifier 10.1109/8.650206
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(132 KB\)](#) IEEE JNL
- ☐ **24. Analysis and improvement of tipping calibration for ground-based micro-
radiometers**
Yong Han; Westwater, E.R.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 38, Issue 3, May 2000 Page(s):1260 - 1276
Digital Object Identifier 10.1109/36.843018
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(352 KB\)](#) IEEE JNL
- ☐ **25. An Internet controlled calibration system for TDMA smart antenna wirele:**
Sinsky, J.H.;
Microwave Symposium Digest, 2001 IEEE MTT-S International
Volume 1, 20-25 May 2001 Page(s):141 - 144 vol.1
Digital Object Identifier 10.1109/MWSYM.2001.966858
[AbstractPlus](#) | Full Text: [PDF\(431 KB\)](#) IEEE CNF

 View: 1-25 | 26-5

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields in All Fields in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content u
- ☒ From year to

» Display Format

- ☒ Citation ☐ Citatio

» Organize results

- Maximum
- Display resu
- Sort by
- In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by
 Inspec



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((calibration and antenna and base and branch)<in>metadata)"

☒ e-mail

Your search matched 4 of 1263585 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Automatic calibration method using transmitting signals of an adaptive a systems**
Nishimori, K.; Cho, K.; Takatori, Y.; Hori, T.;
Vehicular Technology, IEEE Transactions on
Volume 50, Issue 6, Nov. 2001 Page(s):1636 - 1640
Digital Object Identifier 10.1109/25.966592
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(162 KB) IEEE JNL
- ☐ 2. **A blind calibration method for an adaptive array antenna in DS-CDMA sys MMSE algorithm**
Kobayakawa, S.; Tsutsui, M.; Tanaka, Y.;
Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Toky
Volume 1, 15-18 May 2000 Page(s):21 - 25 vol.1
Digital Object Identifier 10.1109/VETECS.2000.851410
[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF
- ☐ 3. **Development of a ground-based polarimetric broadband SAR system for ground-truth validation in vegetation monitoring**
Zheng-Shu Zhou; Boerner, W.-M.; Sato, M.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 42, Issue 9, Sept. 2004 Page(s):1803 - 1810
Digital Object Identifier 10.1109/TGRS.2004.832248
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1872 KB) IEEE JNL
- ☐ 4. **Automatic calibration method of adaptive array utilizing signal circulation**
Nishimori, K.; Cho, K.; Hori, T.;
Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS 54th
Volume 3, 7-11 Oct. 2001 Page(s):1819 - 1823 vol.3
Digital Object Identifier 10.1109/VTC.2001.956514
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
<input type="checkbox"/> AND <input type="checkbox"/>	<input type="text"/>	in All Fields
<input type="checkbox"/> AND <input type="checkbox"/>	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<input type="text" value="calibrate and antenna and base and branch"/>	
--	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content u
- ☒ From year
- to

» Display Format

- ☒ Citation
- ☐ Citatio

» Organize results

- Maximum
- Display resu
- Sort by
- In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by
 Inspec


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((calibrate and antenna and base and branch)<in>metadata)"

Your search matched 3 of 1263585 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **A blind calibration method for an adaptive array antenna in DS-CDMA systems using MMSE algorithm**
Kobayakawa, S.; Tsutsui, M.; Tanaka, Y.;
Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo
Volume 1, 15-18 May 2000 Page(s):21 - 25 vol.1
Digital Object Identifier 10.1109/VETECS.2000.851410
[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF
- ☐ 2. **Automatic calibration method using transmitting signals of an adaptive antenna systems**
Nishimori, K.; Cho, K.; Takatori, Y.; Hori, T.;
Vehicular Technology, IEEE Transactions on
Volume 50, Issue 6, Nov. 2001 Page(s):1636 - 1640
Digital Object Identifier 10.1109/25.966592
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(162 KB) IEEE JNL
- ☐ 3. **Automatic calibration method of adaptive array utilizing signal circulation**
Nishimori, K.; Cho, K.; Hori, T.;
Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS 54th
Volume 3, 7-11 Oct. 2001 Page(s):1819 - 1823 vol.3
Digital Object Identifier 10.1109/VTC.2001.956514
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE – All Rights Reserved

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[? Help](#)

<input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>
<input type="button" value="AND"/> <input type="text"/>	in All Fields	<input type="button" value="v"/>

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[? Help](#)

calibrating and antenna and base and branch	<input type="button" value="v"/>
---	----------------------------------

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content u
- ☒ From year to

» Display Format

- ☒ Citation ☐ Citatio

» Organize results

Maximum results
Display results
Sort by
In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by
 Inspec


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((calibrating and antenna and base and branch)<in>metadata)"

[e-mail](#)

Your search matched 3 of 1263585 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((calibrating and antenna and base and branch)<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **A blind calibration method for an adaptive array antenna in DS-CDMA systems using MMSE algorithm**
Kobayakawa, S.; Tsutsui, M.; Tanaka, Y.;
Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo
Volume 1, 15-18 May 2000 Page(s):21 - 25 vol.1
Digital Object Identifier 10.1109/VETECS.2000.851410
[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF
- ☐ 2. **Automatic calibration method using transmitting signals of an adaptive antenna systems**
Nishimori, K.; Cho, K.; Takatori, Y.; Hori, T.;
Vehicular Technology, IEEE Transactions on
Volume 50, Issue 6, Nov. 2001 Page(s):1636 - 1640
Digital Object Identifier 10.1109/25.966592
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(162 KB) IEEE JNL
- ☐ 3. **Automatic calibration method of adaptive array utilizing signal circulation**
Nishimori, K.; Cho, K.; Hori, T.;
Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS 54th
Volume 3, 7-11 Oct. 2001 Page(s):1819 - 1823 vol.3
Digital Object Identifier 10.1109/VTC.2001.956514
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF

 Indexed by
[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE -